

Docket No. 0805774-0004



GP 2817
Patent Application

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Mark Alistair Poletti

Examiner: Not Yet Assigned

Application No.: 09/197,096

Group Art Unit: 2817

Filed: November 20, 1998

For: AN IMPROVED GUITAR
PREAMPLIFIER SYSTEM WITH
CONTROLLABLE DISTORTION

Date: January 13, 1999

Assistant Commissioner for Patents
Washington, DC 20231

RECEIVED

JAN 21 1999

GROUP 2100

REQUEST FOR CORRECTED FILING RECEIPT

Applicant's undersigned attorney received an Official Filing Receipt dated December 14, 1998 for the subject application, which listed the title of the invention as "GUITAR PREAMPLIFIER WITH CONTROLLABLE DISTORTION". However, as indicated on the application itself and in the accompanying filing papers, the correct title of the invention is "AN IMPROVED GUITAR PREAMPLIFIER SYSTEM WITH CONTROLLABLE DISTORTION".

Accordingly, Applicant respectfully requests issuance of a Filing Receipt with the correct title of the invention. Also, it is noted that the "Attorney Docket No." listed on the Filing Receipt has changed to 0805774-0004. Please update your records accordingly.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231 on
January 13, 1999

(Date of Deposit)

Paul A. Pysher, Reg. No. 40,780


Name of Attorney for Applicant

Paul A. Pysher
Signature

January 13, 1999
Date of Signature

Applicant's undersigned attorney can be reached in our Boston office at
(617) 248-5071. All correspondence should continued to be directed to the address
listed below.

Respectfully submitted,


Paul A. Pysher
Registration No. 40,780

Choate, Hall & Stewart
Exchange Place
53 State Street
Boston, MA 02109
617-248-5000

DS1.456575.1



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
ASSISTANT SECRETARY AND COMMISSIONER
OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

Date:

4-26-99

Application Number:

09/197,096

Dear Applicant or Attorney of Record:

In response to your request for a corrected filing receipt due to an error in the filing receipt:

- () The correct number of your application appears on the filing receipt. The application number stamped on the return postcard is incorrect.
- () The "Foreign Filing License Date Granted" is correct for filing purposes. Additional information on the Foreign Filing License may be obtained by calling Licensing and Review on (703) 306-4188.
- ☒ The articles "a" and "the" are not included as first words in the title of an application because they are unnecessary to the understanding of the title. The words "new", "improved", and "improvement to" are not included as first words in the title of an application because a patent application, by its nature, is a new idea or improvement.
- () The title is correct as taken from the transmittal letter.
- () The title is correct as taken from the first page of the specification, Per 37 CFR 1.72.
- () Prior to issuance of the filing receipt, amendments changing the title are not considered. The preliminary amendment will be entered prior to the patent examiner's first office action.

[Signature]
Legal Instruments Examiner
Office of Initial Patent Examination
(703) 308-1202